



CERTIFICATE OF MANUFACTURE

Page 1 of 1

Product Description	: HEMP EXTRACT W/VESISORB	Date of Manufacture	: 10/2020
Product Number	: HEV3	Date of Expiration:	: 10/2022
Packaging Lot Number	: 50258194		
Lot Number(s) Bulk	: 9134971 (1571-0280)	Batch Size	304,000
		Total Quantity produced	304,000

APPROVED BY :

QC Manager

RIDC PARK WEST, 112 TECHNOLOGY DRIVE, PITTSBURGH, PA - 15275, US

Date: 03/22/21



Certificate Of Analysis

HEMP EXTRACT VESISORB 30'S

Lot: 50258194

Product: Hev3

Test: *Escherichia Coli-USP*

Method: SOP-MIC-004

Analyte Name	Specification	Result	Unit
E. coli Result	Negative	Negative	N/A

Test: *3M Coliform*

Method: SOP-MIC-021

Analyte Name	Specification	Result	Unit
Coliform Total Plate Count	<=10	<10	CFU/g

Test: *3M Staph Petrifilm*

Method: SOP-MIC--023

Analyte Name	Specification	Result	Unit
Staph Total Plate Count	<10	<10	CFU/g

Test: *3M Mold & Yeast*

Method: SOP-MIC-022

Analyte Name	Specification	Result	Unit
Yeast/Mold Total Plate Count	<=300	<100	CFU/g

Test: *Salmonella USP*

Method: SOP-MIC-010

Analyte Name	Specification	Result	Unit
Salmonella Result	Negative	Negative	N/A



Certificate Of Analysis

HEMP EXTRACT VESISORB 30'S

Lot: 50258194

Product: Hev3

Test: 3M TPC

Method: SOP-MIC-020

Analyte Name	Specification	Result	Unit
Total Plate Count	<=10000	<100	CFU/g

Results reported herein pertain only to the items tested and are reported on an "as-is" basis as provided by client. All results are reported on a per pill or per serving of powder or per serving of liquid as appropriate to the physical form of the item tested. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report.

QC and QA electronic signatures indicate COA is effective.

Batch Report Authorized by:

Redmond Doyle

Date Authorized:

3/21/2021 10:12:01 PM



Certificate Of Analysis

Hemp Max

Lot: 9134971

Product: 202523 9999

Test: Characteristics Physical Appearance

Method: SOP-CHR-021.3

Analyte Name	Specification	Result	Unit
Color	Brown	Brown	N/A
Dose form	Softgel	Softgel	N/A
Physical Appearance	Conforms	Conforms	N/A

Test: Determination of Weight Variation (Capsules)

Method: SOP-CHR-020.10

Analyte Name	Specification	Result	Unit
Weight Variation	N/A	Pass	N/A
WV Average	N/A	582.04	mg
WV High	N/A	640.24	mg
WV Low	N/A	523.84	mg
WV Max	N/A	596.20	mg
WV Min	N/A	574.20	mg



Certificate Of Analysis

Hemp Max

Lot: 9134971

Product: 202523 9999

Test: Arsenic, Cadmium, Lead and Mercury by ICP-MS

Method: SOP-ICM-001.7

Analyte Name	Specification	Result	Unit
Arsenic ppm	<2	0.005	ppm
Cadmium ppm	<2	<LOQ (LOQ=0.001)	ppm
Lead mcg/serving	<0.5	<0.0004	mcg/serving
Mercury ppm	<0.7	<LOQ (LOQ=0.008)	ppm

Test: Escherichia Coli-USP

Method: SOP-MIC-004

Analyte Name	Specification	Result	Unit
E. coli Result	Negative	Negative	N/A

Test: Aflatoxin Testing

Method: SOP-AFL-002

Analyte Name	Specification	Result	Unit
Average Aflatoxin	<10	0.0	ppb

Test: 3M Staph Petrifilm

Method: SOP-MIC--023

Analyte Name	Specification	Result	Unit
Staph Total Plate Count	<10	<10	CFU/g



Certificate Of Analysis

Hemp Max

Lot: 9134971

Product: 202523 9999

Test: 3M Mold & Yeast

Method: SOP-MIC-022

Analyte Name	Specification	Result	Unit
Yeast/Mold Total Plate Count	<=1000	<100	CFU/g

Test: Salmonella USP

Method: SOP-MIC-010

Analyte Name	Specification	Result	Unit
Salmonella Result	Negative	Negative	N/A

Test: 3M TPC

Method: SOP-MIC-020

Analyte Name	Specification	Result	Unit
Total Plate Count	<=10000	<100	CFU/g

Results reported herein pertain only to the items tested and are reported on an "as-is" basis as provided by client. All results are reported on a per pill or per serving of powder or per serving of liquid as appropriate to the physical form of the item tested. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report.

QC and QA electronic signatures indicate COA is effective.

Batch Report Authorized by:

Redmond Doyle

Date Authorized:

2/1/2021 9:29:04 AM



Results Posted: 17:00 ES 01-15-2021

Report ID: 210115AA

Bia Diagnostics

480 Hercules Dr

Colchester, VT

05446

(802) 540 0148

CERTIFICATE OF ANALYSIS

Company Name Atrium

Customer ID 160620-0

Date Arrived

1/15/2021

Sample ID Description

210115AA 202523-9999-9134971 HEMPCHOICE SOFTGEL

Gluten-Hydrolytes Allergen Analysis

Results:

R-Biopharm CELISA Competitive R7021
Lot # 12429 Exp. FE2021

Run By:
RW

LOQ:
10ppm

<10ppm

Spike ID:

N/A

Recovery: N/A%

For estimates of measurement uncertainties, please contact Bia Diagnostics.

Results apply to the samples as received.

The report shall not be reproduced except in full without the approval of the laboratory.

Certified By:

Thomas A Grace (Laboratory Director, Bia Diagnostics)

Friday, January 15, 2021

1.802.540.0148

www.BiaDiagnostics.com

Bia Diagnostics Page 1 of 1





Innovational Laboratories, LLC.
5555 W Brooks St.
Montclair, CA 91763
Tel 909-230 6210
Fax 909-230 6211
www.ilab-us.com
info@ilab-us.com

CoA # 20092556.1
CoA Date 01/21/2021
CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Atrium Innovations	Date Received	9/25/2020
Address	RIDC Park West 112 Technology Drive Pittsburgh, PA 15275	Condition	Good
		Temp	Ambient
Sample Name	25mg CBD Soft Gel	PO #	
Sample Lot #	1571-0280	Remarks	RUSH

Analysis	Specification	Test Result	Test Method	Test Date
Cannabinoids				
Cannabidiol (CBD)	N/A	27.3mg / Soft Gel	HPLC/UPLC	09/25/2020
Cannabidiarin (CBDV)	N/A	0.297mg / Soft Gel	HPLC/UPLC	as above
Cannabidiarinic Acid (CBDVA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	0.045mg / Soft Gel	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	Not Detected	HPLC/UPLC	as above
delta-8-Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	0.066mg / Soft Gel	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above
Terpenes				
alpha-Pinene	N/A	0.02mg / Soft Gel	GC	09/25/2020
Camphene	N/A	Not Detected	GC	as above
Beta-Myrcene	N/A	0.04mg / Soft Gel	GC	as above
Beta-Pinene	N/A	Not Detected	GC	as above
3-Carene	N/A	Not Detected	GC	as above
alpha-Terpinene	N/A	Not Detected	GC	as above
Ocimene	N/A	Not Detected	GC	as above
Limonene	N/A	0.03mg / Soft Gel	GC	as above
P-Cymene	N/A	Not Detected	GC	as above
Beta-Ocimene	N/A	Not Detected	GC	as above
Eucalyptol	N/A	0.02mg / Soft Gel	GC	as above
gamma-Terpinene	N/A	Not Detected	GC	as above
Terpinolene	N/A	0.02mg / Soft Gel	GC	as above
Linalool	N/A	0.04mg / Soft Gel	GC	as above
Isopulegol	N/A	Not Detected	GC	as above
Geraniol	N/A	Not Detected	GC	as above
Beta-Caryophyllene	N/A	10.57mg / Soft Gel	GC	as above
alpha-Humulene	N/A	0.09mg / Soft Gel	GC	as above
Nerolidol 1	N/A	Not Detected	GC	as above
Nerolidol 2	N/A	0.08mg / Soft Gel	GC	as above
Guaiol	N/A	0.14mg / Soft Gel	GC	as above
Caryophyllene oxide	N/A	0.09mg / Soft Gel	GC	as above
alpha-Bisabolol	N/A	0.27mg / Soft Gel	GC	as above

Authorized by

Christina A. Martinez / Technical Deputy

JAN 21 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
Estimation of uncertainty of measurement is available upon request.



Innovational Laboratories, LLC.
5555 Brooks St
Montclair, CA 91763
Tel 909-230 6210
Fax 909-230 6211
www.iLab-US.com
info@ilab-us.com

CoA # 20092556A.1
CoA Date 01/21/2021
CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Atrium Innovations	Date Received	9/25/2020
Address	RIDC Park West 112 Technology Drive Pittsburgh, PA 15275	Condition	Good
Sample Name	25mg CBD Soft Gel	Temp	Ambient
Sample Lot #	1571-0280	PO #	
		Remarks	RUSH

Analysis	Specification	Test Result	Test Method	Test Date
Pesticides				
DDT	N/A	Pass <0.500 ppm	GC-MS	09/25/2020
Alachlor	N/A	Pass <0.500 ppm	GC-MS	as above
Aldin	N/A	Pass <0.025 ppm	GC-MS	as above
Azinphos-ethyl	N/A	Pass <3.000 ppm	GC-MS	as above
Azinphos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromophos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Bromophos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromopropylate	N/A	Pass <2.000 ppm	GC-MS	as above
Chlordane	N/A	Pass <0.025 ppm	GC-MS	as above
Chlorfenvinphos	N/A	Pass <0.500 ppm	GC-MS	as above
Chlorpyrifos	N/A	Pass <0.150 ppm	GC-MS	as above
Chlorpyrifos-methyl	N/A	Pass <2.000 ppm	GC-MS	as above
Chlorthal-dimethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Cyfluthrin	N/A	Pass <0.100 ppm	GC-MS	as above
Cyhalothrin-Lambda	N/A	Pass <0.150 ppm	GC-MS	as above
Cypermethrin	N/A	Pass <0.150 ppm	GC-MS	as above
Deltamethrin	N/A	Pass <0.500 ppm	GC-MS	as above
Diazinon	N/A	Pass <2.000 ppm	GC-MS	as above
Dichlofluanid	N/A	Pass <1.000 ppm	GC-MS	as above
Dichlorvos	N/A	Pass <0.050 ppm	GC-MS	as above
Dicofol	N/A	Pass <0.500 ppm	GC-MS	as above
Dieldrin	N/A	Pass <0.025 ppm	GC-MS	as above
Dimethoate	N/A	Pass <1.000 ppm	GC-MS	as above
Endosulfan	N/A	Pass <0.250 ppm	GC-MS	as above
Endrin	N/A	Pass <0.025 ppm	GC-MS	as above
Ethion	N/A	Pass <0.500 ppm	GC-MS	as above
Etriphos	N/A	Pass <0.250 ppm	GC-MS	as above
Fenchlorophos	N/A	Pass <0.500 ppm	GC-MS	as above
Fenitrothion	N/A	Pass <1.000 ppm	GC-MS	as above
Fenpropathrin	N/A	Pass <0.050 ppm	GC-MS	as above
Fensulfothion	N/A	Pass <0.500 ppm	GC-MS	as above
Fenthion	N/A	Pass <0.250 ppm	GC-MS	as above
Fenvalerate	N/A	Pass <0.010 ppm	GC-MS	as above
Flucytrinate	N/A	Pass <0.100 ppm	GC-MS	as above
Fluvalinate-Tau	N/A	Pass <0.250 ppm	GC-MS	as above
Fonofos	N/A	Pass <0.150 ppm	GC-MS	as above
Heptachlor	N/A	Pass <0.075 ppm	GC-MS	as above
Hexachlorbenzene	N/A	Pass <0.100 ppm	GC-MS	as above

Authorized by  JAN 21 2021
Christina A. Martinez / Technical Deputy

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.
5555 Brooks St
Montclair, CA 91763
Tel 909-230 6210
Fax 909-230 6211
www.iLab-US.com
info@ilab-us.com

CoA # 20092556A.1
CoA Date 01/21/2021
CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Atrium Innovations	Date Received	9/25/2020
Address	RIDC Park West 112 Technology Drive Pittsburgh, PA 15275	Condition	Good
Sample Name	25mg CBD Soft Gel	Temp	Ambient
Sample Lot #	1571-0280	PO #	
		Remarks	RUSH

Analysis	Specification	Test Result	Test Method	Test Date
Hexachlorocyclohexane	N/A	Pass <0.025 ppm	GC-MS	as above
Lindane	N/A	Pass <0.250 ppm	GC-MS	as above
Malaoxon	N/A	Pass <0.100 ppm	GC-MS	as above
Malathion	N/A	Pass <0.250 ppm	GC-MS	as above
Mecarbam	N/A	Pass <0.500 ppm	GC-MS	as above
Methacrifos	N/A	Pass <0.025 ppm	GC-MS	as above
Methamidophos	N/A	Pass <0.005 ppm	GC-MS	as above
Methidathion	N/A	Pass <0.100 ppm	GC-MS	as above
Methoxychlor	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-ethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Mirex	N/A	Pass <1.000 ppm	GC-MS	as above
Monocrotophos	N/A	Pass <0.050 ppm	GC-MS	as above
Omethoate	N/A	Pass <0.500 ppm	GC-MS	as above
Paraoxon-ethyl	N/A	Pass <0.025 ppm	GC-MS	as above
Paraoxon	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-methyl	N/A	Pass <1.000 ppm	GC-MS	as above
Pendimethalin	N/A	Pass <1.000 ppm	GC-MS	as above
Pentachloroanisole	N/A	Pass <0.025 ppm	GC-MS	as above
Permethrin	N/A	Pass <0.025 ppm	GC-MS	as above
Phosalone	N/A	Pass <2.000 ppm	GC-MS	as above
Phosmet	N/A	Pass <0.500 ppm	GC-MS	as above
Piperonylbutoxide	N/A	Pass <1.000 ppm	GC-MS	as above
Pirimiphos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Pirimiphos-methyl	N/A	Pass <0.250 ppm	GC-MS	as above
Procymidone	N/A	Pass <1.000 ppm	GC-MS	as above
Profenofos	N/A	Pass <2.000 ppm	GC-MS	as above
Prothiofos	N/A	Pass <0.500 ppm	GC-MS	as above
Pyrethrum	N/A	Pass <0.250 ppm	GC-MS	as above
Quinalphos	N/A	Pass <0.500 ppm	GC-MS	as above
Quintozene	N/A	Pass <1.000 ppm	GC-MS	as above
S-421	N/A	Pass <0.500 ppm	GC-MS	as above
Tecnazene	N/A	Pass <0.100 ppm	GC-MS	as above
Tetradifon	N/A	Pass <0.250 ppm	GC-MS	as above
Vinclozolin	N/A	Pass <1.000 ppm	GC-MS	as above
Residual Solvents				
Methanol	N/A	Pass <3000 ppm	USP <467>	09/28/2020
Acetonitrile	N/A	Pass <410 ppm	USP <467>	as above
Dichloromethane	N/A	Pass <600 ppm	USP <467>	as above

Authorized by  Christina A. Martinez / Technical Deputy

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.
5555 Brooks St
Montclair, CA 91763
Tel 909-230 6210
Fax 909-230 6211
www.iLab-US.com
info@ilab-us.com

CoA # 20092556A.1
CoA Date 01/21/2021
CoA Status Final

CERTIFICATE OF ANALYSIS

Customer	Atrium Innovations	Date Received	9/25/2020
Address	RIDC Park West 112 Technology Drive Pittsburgh, PA 15275	Condition	Good
Sample Name	25mg CBD Soft Gel	Temp	Ambient
Sample Lot #	1571-0280	PO #	
		Remarks	RUSH

Analysis	Specification	Test Result	Test Method	Test Date
trans-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
cis-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
Tetrahydrofuran	N/A	Pass <720 ppm	USP <467>	as above
Cyclohexane	N/A	Pass <3880 ppm	USP <467>	as above
Methylcyclohexane	N/A	Pass <1180 ppm	USP <467>	as above
1,4-Dioxane	N/A	Pass <380 ppm	USP <467>	as above
Toluene	N/A	Pass <890 ppm	USP <467>	as above
Chlorobenzene	N/A	Pass <360 ppm	USP <467>	as above
Ethylbenzene	N/A	Pass <368.9 ppm	USP <467>	as above
m-Xylene	N/A	Pass <1302 ppm	USP <467>	as above
p-Xylene	N/A	Pass <368.9 ppm	USP <467>	as above
o-Xylene	N/A	Pass <195.3 ppm	USP <467>	as above
n-Hexane	N/A	Pass <290 ppm	USP <467>	as above
Nitromethane	N/A	Pass <50 ppm	USP <467>	as above
Chloroform	N/A	Pass <60 ppm	USP <467>	as above
1,2-Dimethoxyethane	N/A	Pass <100 ppm	USP <467>	as above
Trichloroethylene	N/A	Pass <80 ppm	USP <467>	as above
Pyridine	N/A	Pass <200 ppm	USP <467>	as above
2-Hexanone	N/A	Pass <50 ppm	USP <467>	as above
Tetralin	N/A	Pass <100 ppm	USP <467>	as above
Ethanol	N/A	Pass <5000 ppm	USP <467>	as above
Heavy Metals				
Arsenic (As)	N/A	<0.005 ppm	ICP-MS (STP-021)	09/29/2020
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	<0.001 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	0.020 ppm	ICP-MS (STP-021)	as above
Microbiology				
TPC	N/A	<10 cfu/g	AOAC 966.23	09/25/2020
Yeast	N/A	<10 cfu/g	AOAC 2014.05	as above
Mold	N/A	<10 cfu/g	AOAC 2014.05	as above
Coliforms	N/A	<10 cfu/g	AOAC 991.14	as above
E. coli	N/A	Negative / 10g	AOAC 991.14	as above
Salmonella	N/A	Negative / 10g	AOAC 989.13	as above
Staphylococcus aureus	N/A	Negative / 10g	AOAC 2003.07	as above

Authorized by

Christina A. Martinez / Technical Deputy

JAN 21 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.
Estimation of uncertainty of measurement available upon request.

Certificate of Analysis

HVL LLC

112 Technology Drive
Pittsburgh Pennsylvania 15205

Sample Name: 202523-9999		Eurofins Sample: 10208303	
Project ID	HVL-20210115-0012	Receipt Date	15-Jan-2021
PO Number	1GL101137505	Receipt Condition	Ambient temperature
Lot Number	9134971	Login Date	15-Jan-2021
Sample Serving Size	554 mg	Date Started	29-Jan-2021
		Sampled	Sample results apply as received
		Online Order	20

Analysis	Result
PAH 4 acc. EFSA (GC-MSMS)	
Benzo-(a)-anthracene	NR
Benzo-(a)-pyrene	<0.50 mcg/kg
Sum of all positive identified PAH	<1.0 mcg/kg
Chrysene	NR
Benzo-(b)-fluoranthene	<0.57 mcg/kg

Method References	Testing Location
PAH 4 acc. EFSA (GC-MSMS) (ICO_ECAL)	Eurofins Central Analytical Laboratories 2219 Lakeshore Dr Suite 500 New Orleans, LA 70122 USA

Testing Location(s)	Released on Behalf of Eurofins by
Food Integrity Innovation-Brea	Robert Grahn - Manager

Eurofins Food Chemistry Testing US, Inc.
2951 Saturn Street
Unit C
Brea CA 92821
800-675-8375

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins.



Certificate of Analysis

Product Name: 202523-9999
Lot Number: 9134971

Test Performed

Residual Solvents <USP 467>

	<u>USP Limit</u>	<u>Result</u>
Residual Solvents - Class 1		
1,1-Dichloroethene	≤8 ppm	Pass
1,1,1-Trichloroethane	≤1500 ppm	Pass
1,2-Dichloroethane	≤5 ppm	Pass
Benzene	≤2 ppm	Pass
Carbon Tetrachloride	≤4 ppm	Pass
Residual Solvents - Class 2A		
<i>cis</i> -1,2-Dichloroethene	≤1870 ppm	Pass
<i>trans</i> -1,2-Dichloroethene	≤1870 ppm	Pass
1,4-Dioxane	≤380 ppm	Pass
Acetonitrile	≤410 ppm	Pass
Chlorobenzene	≤360 ppm	Pass
Cumene	≤70 ppm	Pass
Cyclohexane	≤3880 ppm	Pass
Ethylbenzene	≤369 ppm	Pass
Methanol	≤3000 ppm	Pass
Methylcyclohexane	≤1180 ppm	Pass
Methylene Chloride	≤600 ppm	Pass
<i>m</i> -Xylene/ <i>p</i> -Xylene	≤1606 ppm	Pass
<i>o</i> -Xylene	≤196 ppm	Pass
Tetrahydrofuran	≤720 ppm	Pass
Toluene	≤890 ppm	Pass

Residual Solvents - Class 2B



Certificate of Analysis

Product Name: 202523-9999
Lot Number: 9134971

Test Performed

Residual Solvents <USP 467>

	<u>USP Limit</u>	<u>Result</u>
1,2-Dimethoxyethane	≤100 ppm	Pass
Chloroform	≤60 ppm	Pass
n-Hexane	≤290 ppm	Pass
Methylbutylketone	≤50 ppm	Pass
Nitromethane	≤50 ppm	Pass
Pyridine	≤200 ppm	Pass
Tetralin	≤100 ppm	Pass
Trichloroethylene	≤80 ppm	Pass

QC electronic signature indicates COA is effective.

Batch Authorized By: Lab Manager, HVL, LLC

Authorized On:

1/27/2021

Results reported herein are provided "as is" and are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. HVL assumes no responsibility, and client hereby waives all claims against HVL, for interpretation of these results.

NQAC Dublin
PO Box 1516
6625 Eiterman Road
Dublin, Ohio 43017-6516

TEL (614) 526-5200
FAX (480) 379-6703



NQAC

Nestlé Quality Assurance Center
Dublin

Final Laboratory Report

Caitlin Dilal
Atrium Innovations
112 Technology Drive
Pittsburgh, PA 15275
USA

PO/Ref #: 1DL101137501
Date Received: January 14, 2021
Date Reported: January 20, 2021
Report Number: 2102-1021 1/20/2021 6:10:20PM
Customer ID: 150039
Project Name: HEMPCHOICE SOFTGEL

cc: H. Lab Services - Pittsburgh, J. Cao - Pittsburgh, R. Doyle - Pittsburgh

Sample Description: 202523-9999

Project #: 2102-1021 Sample #: 9386038 Condition Upon Receipt: INTACT

Nestlé SAP Material ID : Not Specified

Web Submission # : 25899

Web Sample # : 111916

Keydate/Lot#: 9134971

Client Sample ID: 150039

Analysis : Method # : Aliquot Number

USP Pesticide Screen : NQA-54.0010 : 9386073

	<u>Result</u>	<u>Units</u>
Acephate	< 0.1	mg/kg (ppm)
Alachlor	< 0.05	mg/kg (ppm)
Aldrin and dieldrin (sum of)	< 0.05	mg/kg (ppm)
Azinphos-ethyl	< 0.1	mg/kg (ppm)
Azinphos-methyl	< 1	mg/kg (ppm)
Bromophos-ethyl	< 0.05	mg/kg (ppm)
Bromophos-methyl	< 0.05	mg/kg (ppm)
Bromopropylate	Not determinable	mg/kg (ppm)
Chlordane (sum per USP)	< 0.05	mg/kg (ppm)
Chlorfenvinphos	< 0.5	mg/kg (ppm)
Chlorpyrifos-ethyl	< 0.2	mg/kg (ppm)
Chlorpyrifos-methyl	< 0.1	mg/kg (ppm)
Chlorthal-dimethyl	< 0.01	mg/kg (ppm)
Cyfluthrin (sum of isomers)	< 0.1	mg/kg (ppm)
Cyhalothrin, lambda-	< 1	mg/kg (ppm)
Cypermethrin (sum of isomers)	< 1	mg/kg (ppm)
DDT (sum per USP)	Not Determinable	mg/kg (ppm)
Deltamethrin	< 0.5	mg/kg (ppm)
Diazinon	< 0.5	mg/kg (ppm)
Dichlofluanid	< 0.1	mg/kg (ppm)
Dichlorvos	< 1	mg/kg (ppm)
Dicofol	< 0.5	mg/kg (ppm)
Dimethoate and omethoate (sum of)	< 0.1	mg/kg (ppm)
Endosulfan (sum per USP)	< 3	mg/kg (ppm)
Endrin	< 0.05	mg/kg (ppm)
Ethion	< 2	mg/kg (ppm)

NQAC Report #:2102-1021 1/20/2021 6:10:20PM

Etrimphos	< 0.05	mg/kg (ppm)
Fenchlorphos (sum per USP)	< 0.1	mg/kg (ppm)
Fenitrothion	< 0.5	mg/kg (ppm)
Fenpropathrin	< 0.03	mg/kg (ppm)
Fensulfothion (sum per USP)	< 0.05	mg/kg (ppm)
Fenthion (sum per USP)	< 0.05	mg/kg (ppm)
Fenvalerate	< 1.5	mg/kg (ppm)
Flucythrinate	< 0.05	mg/kg (ppm)
Fluvalinate, tau-	< 0.05	mg/kg (ppm)
Fonofos	Not Determinable	mg/kg (ppm)
Heptachlor (sum per USP)	< 0.05	mg/kg (ppm)
Hexachlorobenzene	< 0.1	mg/kg (ppm)
Hexachlorocyclohexane (sum per USP)	Not Determinable	mg/kg (ppm)
Lindane (hexachlorocyclohexane, gamma-)	< 0.6	mg/kg (ppm)
Malathion and malaoxon (sum of)	< 1	mg/kg (ppm)
Mecarbam	< 0.05	mg/kg (ppm)
Methacrifos	< 0.05	mg/kg (ppm)
Methamidophos	< 0.05	mg/kg (ppm)
Methidathion	< 0.2	mg/kg (ppm)
Methoxychlor	< 0.05	mg/kg (ppm)
Mirex	< 0.01	mg/kg (ppm)
Monocrotophos	< 0.1	mg/kg (ppm)
Parathion-ethyl and paraoxon-ethyl (sum of)	< 0.5	mg/kg (ppm)
Parathion-methyl and paraoxon-methyl (sum of)	Not Determinable	mg/kg (ppm)
Pendimethalin	< 0.1	mg/kg (ppm)
Pentachloranisol	< 0.01	mg/kg (ppm)
Permethrin (sum of isomers)	< 1	mg/kg (ppm)
Phosalone	< 0.1	mg/kg (ppm)
Phosmet	< 0.05	mg/kg (ppm)
Piperonyl Butoxide	< 3	mg/kg (ppm)
Pirimiphos-ethyl	< 0.05	mg/kg (ppm)
Pirimiphos-methyl (sum per USP)	< 4	mg/kg (ppm)
Procymidone	< 0.1	mg/kg (ppm)
Profenofos	< 0.1	mg/kg (ppm)
Prothiofos	< 0.05	mg/kg (ppm)
Pyrethrum (sum per USP)	< 3	mg/kg (ppm)
Quinalphos	< 0.05	mg/kg (ppm)
Quintozene (sum per USP)	< 1	mg/kg (ppm)
S-421	< 0.02	mg/kg (ppm)
Tecnazene	< 0.05	mg/kg (ppm)
Tetradifon	< 0.3	mg/kg (ppm)
Vinclozolin	< 0.4	mg/kg (ppm)
Date Analyzed GCMSMS	01/19/2021	-
Date Analyzed LCMSMS	01/19/2021	-

NA or N/A: Not Applicable

NP: Not Performed

NQ: Not Quantitated

QL: Quantitation Limit

* Not Determinable

EST: Estimate

IP: In Progress

LOD: Limit of Detection

TNTC: Too Numerous to Count

SPC: Standard Plate Count

PAC: Petrifilm™ Aerobic Count

PCC: Petrifilm™ Coliform Count

STC: Screening Target Concentration

This report shall not be reproduced except in full, and with written approval of NQAC.

Results relate only to the items tested.

Unless you request otherwise, this sample will be discarded 5 days from the date of this report.

NQAC Confidential: This document is the property of Nestlé Quality Assurance Center.

All appropriate QC checks were performed and found acceptable for this set of samples.

NQAC is not responsible for customer sampling procedures.

Methods run under the quoted Method Number; reference Method are additional information only.

*The Component of the analysis had an interference with the sample matrix and cannot derive a definitive result for the compound.



Fabien Robert, Director

For questions regarding the report, reply to all or contact Customer Service at nqacdublincustomerservice@us.nestle.com or call 614-526-5200.

"Pesticide tolerances reported from U.S. Code of Federal Regulations, Title 40, part 180 (40 CFR 180) on the date of data review. Commodity type for pesticide tolerance determination inferred from the product description; tolerances invalid for mixed commodities or inaccurate descriptions."

Note to Nestle Suppliers: This report is not an indication of Nestle's acceptance of the product. Release and ship decisions must be made by the Nestle supplier per approved microbiological specifications. Contact Nestle factory QA with any questions regarding release & acceptance of the product.

***** CONFIDENTIALITY NOTICE *****

The information contained in this facsimile or electronically submitted document is legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is NOT the intended recipient, you are hereby notified that any dissemination, distribution, or copy of this communication is strictly prohibited. If you have received this communication in error, please immediately notify the Nestlé Quality Assurance Center and delete or destroy all copies. Thank you.